Rhodora

JOURNAL OF THE
NEW ENGLAND BOTANICAL CLUB

NORTON H. NICKERSON, Editor-in-Chief
JOAN Y. NICKERSON, Managing Editor

Associate Editors

DAVID BARRINGTON
A. LINN BOGLE
DAVID E. BOUFFORD
WILLIAM D. COUNTRYMAN
GARRETT E. CROW
RICHARD A. FRALICK
GERALD J. GASTONY
C. BARRE HELLQUIST
MICHAEL W. LEFOR
ROBERT T. WILCE

VOLUME 91

1989

The New England Botanical Club, Inc.

Harvard University Herbaria, 22 Divinity Ave., Cambridge, Mass. 02138

RHODORA, Vol. 91, No. 868, pp. 351–356, 1989

INDEX TO VOLUME 91

New scientific names are in **bold face**.

Adams, Ralph M. *see* Sauleda, Ruben P.

Aldrich, James R. *see* Homoya, Michael A.

Angelo, Ray. Some new records for New England and New England states. 342–344.

ANNOUNCEMENTS
- Jesse M. Greenman Award 163, 346
- NEBC 1989 Award Notice 164, 345
- New England Botany Graduate Students Meeting 165

Arisaema dracontium in Hampshire County, Massachusetts. On the occurrence of, 339–341

Asteraceae. The marsh dandelion (Taraxacum Section Palustria) in Canada and the adjacent United States. 213–219

Bacopa simulans (Scrophulariaceae) on the Potomac River in Virginia. Discovery of Fernald's, 239–241

Betula alleghaniensis and B. lenta (Betulaceae). Morphological variation in, 172–187

Betulaceae. Morphological variation in southern Appalachian Betula alleghaniensis and B. lenta. 172–187

Biogeography, and conservation of coastal plain plants: Some general principles from the study of Nova Scotian wetlands. Ecology, 72–94

BOOK REVIEWS
- Distribution of the Vascular Flora of Georgia. The, 223
- Ecology of Temporary Waters. The, 222

Brackley, Frankie E. and Garrett E. Crow. Notes on the rare flora of New Hampshire. 103–109

Brumback, William E. Notes on propagation of rare New England species. 154–162

Brunton, Daniel F. Marsh dandelion (Taraxacum Section Palustria; Asteraceae) in Canada and the adjacent United States. The, 213–219

By-laws of the New England Botanical Club, Inc. 270–276

Caljouw, Caren A. *see* Enser, Richard W.

Campbell, Christopher S. *see* Dibble, Alison C.

Campbell, Christopher S. *see* Vickery, Barbara St. J.

Canada and the adjacent United States. The marsh dandelion (Taraxacum Section Palustria; Asteraceae) in, 213–219

Carex (Cyperaceae), New England: Taxonomic problems and phytogeographical considerations. 144–152

Chmielewski, Jerry G. *see* Semple, John C.

Chromosome number determinations in Fam. Compositae, Tribe Astereae. III. Additional counts and comments on generic limits and ancestral base numbers. 296–314

Cladophoraceae. Occurrence of Wittrockiella paradoxa Wille (Chlorophyta) in northeastern North America. 235–238

Coastal plain plants: Some general principles from the study of Nova Scotian wetlands. Ecology, biogeography, and conservation of, 72–94

Compositae. Chromosome number determinations in Fam., Tribe Astereae. III. Additional counts and comments on generic limits and ancestral base numbers. 296–314

Connecticut's vascular plant diversity. Inventorying, 131–142

Conservation of coastal plain plants: Some general principles from the study of Nova Scotian wetlands. Ecology, biogeography and, 72–94

Conservation strategies. A demographic model for Pedicularis furbishiae, with implications for, (Abstract) 153
Countryman, William D. *see* Thompson, Elizabeth H.
Cronquist, Arthur. Plant communities of eastern North America. (Abstract) 70–71
Crow, Garrett E. *see* Brackley, Frankie E.
Curtis, Marilou *see* Higginbotham, Jeri W.

Demographic model for Pedicularis furbishiae, with implications for conservation strategies. A, (Abstract) 153
Dibble, Alison C., Christopher S. Campbell, Harry R. Tyler, Jr. and Barbara St. J. Vickery. Maine's official list of Endangered and Threatened plants. 244–269
Discovery of Fernald's Bacopa simulans (Scrophulariaceae) on the Potomac River in Virginia. 239–241
Discovery of Sporobolus asper (Poaceae) in Maine. 220–221
Distribution of gametophytic populations of Vittaria and Trichomanes in Pennsylvania. 201–206

Eastman, Leslie J. *see* Vickery, Barbara St. J.
Ecology, biogeography, and conservation of coastal plain plants: Some general principles from the study of Nova Scotian wetlands. 72–94
Endangered and Threatened plants. Maine's official list of, 244–269
Enser, Richard W. and Caren A. Caljouw. Plant conservation concerns in Rhode Island—A reappraisal. 121–130
Fernald, M. L.('s) hypothesis of a Gaspé refugium. Maidenhair fern biogeography and, (Abstract) 143
Florida. The orchid genera Oncidium Sw. and Tolumnia Raf. in, 188–200
Floristic dynamics of a small island complex in Lake Winnipesaukee, New Hampshire. 315–338
Frederiksen, Norman O. Late Cretaceous and Tertiary floras, vegetation, and paleoclimates of New England. 25–48

Gaspé refugium. Maidenhair fern biogeography and M. L. Fernald's hypothesis of a, (Abstract) 143
Gaultheria procumbens at Pine Hills, Indiana—Its continued decline and incipient extirpation, 1951–1981. 282–295
Gawler, Susan C. A demographic model for Pedicularis furbishiae, with implications for conservation strategies. (Abstract) 153
Gentianaceae. The type species of Sabatia Adanson. 167–171

Higginbotham, Jeri W., Marilou Curtis and Clifford R. Parks. Morphological variation in southern Appalachian Betula alleghaniensis and B. lenta (Betulaceae). 172–187
Hill, Nicholas M. Toxicodendron vernix added to the flora of Nova Scotia. 242–243
Holland, Marjorie M. and Bruce A. Sorrie. Floristic dynamics of a small island complex in Lake Winnipesauke, New Hampshire. 315–338
Holocene floras of New England as a framework for interpreting aspects of plant rarity. Pleistocene and, 49–69
Homoya, Michael A., James R. Aldrich and Ellen M. Jacquart. Rediscovery of the globally endangered clover, Trifolium stoloniferum, in Indiana. The, 207–212

Indiana. Gaultheria procumbens at Pine Hills,—Its continued decline and incipient extirpation, 1951–1981. 282–295
Indiana. Rediscovery of the globally endangered clover, Trifolium stoloniferum, in, 207–212

Inventorying Connecticut's vascular plant diversity. 131–142

Jacquart, Ellen M. *see* Homoya, Michael A.

Keddy, Paul A. and Irene C. Wisheu. Ecology, biogeography and conservation of coastal plain plants: Some general principles from the study of Nova Scotian wetlands. 72–94
Kirkman, W. Benson. Vaccinium sempervirens Raf.: A lost synonym for Vaccinium ovatum Pursh. 279–281

Lane, Meredith A. *see* Semple, John C.
Late Cretaceous and Tertiary floras, vegetation, and paleoclimates of New England. 25–48

Maidenhair fern biogeography and M. L. Fernald's hypothesis of a Gaspé refugium. (Abstract) 143
Maine. Discovery of Sporobolus asper (Poaceae) in Maine. 220–221
Maine. Progress in rare plant conservation in, 95–102
Maine's official list of Endangered and Threatened plants. 244–269
Marsh dandelion (Taraxacum Section Palustria; Asteraceae) in Canada and the adjacent United States. The, 213–219
Massachusetts. On the occurrence of Arisaema dracontium in Hampshire County, 339–341
Massachusetts flora: A review of current distribution and conservation of rare species. 116–120
Mehrhoff, Leslie J. Inventorying Connecticut's vascular plant diversity. 131–142
Miller, Norton G. Pleistocene and Holocene floras of New England as a framework for interpreting aspects of plant rarity. 49–69
Morphological variation in southern Appalachian Betula alleghaniensis and B. lenta (Betulaceae). 172–187

Nevada. A new Spiranthes (Orchidaceae) from Ash Meadows, 225–234
New England. Late Cretaceous and Tertiary floras, vegetation, and paleoclimates of, 25–48
New England and New England states. Some new records for, 342–344
New England as a framework for interpreting aspects of plant rarity. Pleistocene and Holocene floras of, 49–69
New England Botanical Club Elected Officers and Council Members. No. 867, Cover III
New England Botanical Club, Inc., Bylaws of the, 270–276
New England Carex (Cyperaceae): Taxonomic problems and phytogeographical considerations. 144–152
NEW ENGLAND NOTES
Arisaema dracontium in Hampshire County, Massachusetts. On the occurrence of, 339–341
New England and New England states. Some new records for, 342–344
Sporobolus asper (Poaceae) in Maine. Discovery of, 220–221
New England species. Notes on propagation of rare, 154–162
New Hampshire. Floristic dynamics of a small island complex in Lake Winnipesaukee, 315–338
New Hampshire. Notes on the rare flora of, 103–109
New records for New England and New England states. Some, 342–344
North America. Occurrence of Wittrockiella paradoxa Wille (Chlorophyta, Cladophoraceae) in northeastern, 235–238
North America. Plant communities of eastern, (Abstract) 70–71
Notes on propagation of rare New England species. 154–162
Notes on the rare flora of New Hampshire. 103–109
Nova Scotia. Toxicodendron vernix added to the flora of, 242–243

Nova Scotian wetlands. Ecology, biogeography, and conservation of coastal plain plants: Some general principles from the study of, 72–94

Occurrence of Wittrockiella paradoxa Wille (Chlorophyta, Cladophoraceae) in northeastern North America. 235–238
On the occurrence of Arisaema dracontium in Hampshire County, Massachusetts. 339–341
Oncidium Sw. and Tolumnia Raf. in Florida. The orchid genera, 188–200
Orchid genera Oncidium Sw. and Tolumnia Raf. in Florida. The, 188–200
Orchidaceae. A new Spiranthes from Ash Meadows, Nevada. 225–234

Paleoclimates of New England. Late Cretaceous and Tertiary floras, vegetation, and, 25–48
Paris, Cathy A. Maidenhair fern biogeography. (Abstract) 143
Parks, Clifford R. *see* Higginbotham, Jeri W.
Parks, James C. Distribution of gametophytic populations of Vittaria and Trichomanes in Pennsylvania. 201–206
Pedicularis furbishiae, A demographic model for, with implications for conservation strategies. (Abstract) 153
Pennsylvania. Distribution of gametophytic populations of Vittaria and Trichomanes in Pennsylvania. 201–206
Phylogeny and phytogeography. 10–24
Phytogeographical considerations. New England Carex (Cyperaceae): Taxonomic problems and, 144–152
Phytogeography. Phylogeny and, 10–24
Plant communities of eastern North America. (Abstract) 70–71
Plant conservation concerns in Rhode Island—A reappraisal. 121–130
Plant diversity. Inventorying Connecticut's vascular, 131–142
Pleistocene and Holocene floras of New England as a framework for interpreting aspects of plant rarity. 49–69
Poaceae. Sporobolus asper in Maine. Discovery of, 220–221
Progress in rare plant conservation in Maine. 95–102

Rare flora of New Hampshire. Notes on the, 103–109
Rare New England species. Notes on propagation of, 154–162
Rare plant conservation in Maine. Progress in, 95–102
Rare plant conservation in Vermont in the 1980's. 110–115
Rare species. Massachusetts flora: A review of current distribution and conservation of, 116–120
Rarity, plant. Pleistocene and Holocene floras of New England as a framework for interpreting aspects of, 49–69
Rasmussen, Martin N. *see* Rawinski, Thomas J.
Rawinski, Thomas J., Martin N. Rasmussen and Sally C. Rooney. Discovery of Sporobolus asper (Poaceae) in Maine. 220–221
Rediscovery of the globally endangered clover, Trifolium stoloniferum, in Indiana. The, 207–212
Reviewers. List of, 347
Reznicek, A. A. New England Carex (Cyperaceae): Taxonomic problems and phytogeographical considerations. 144–152
Rhode Island. Plant conservation concerns in,—A reappraisal. 121–130
Rooney, Sally C. *see* Rawinski, Thomas J.

Sabatia Adanson (Gentianaceae). The type species of, 167–171
Sauleda, Ruben P. and Ralph M. Adams. The orchid genera Oncidium

Sw. and Tolumnia Raf. in Florida. 188–200
Saunders, Laurie L. On the occurrence of Arisaema dracontium in Hampshire County, Massachusetts. 339–341
Scrophulariaceae. Discovery of Fernald's Bacopa simulans on the Potomac River in Virginia. 239–241
Semple, John C., Jerry G. Chmielewski and Meredith A. Lane. Chromosome number determinations in Fam. Compositae, Tribe Astereae. III. Additional counts and comments on generic limits and ancestral base numbers. 296–314
Sheviak, Charles J. A new Spiranthes (Orchidaceae) from Ash Meadows, Nevada. 225–234
Sorrie, Bruce A. Massachusetts flora: A review of current distribution and conservation of rare species. 116–120
Sorrie, Bruce A. *see* Holland, Marjorie M.
South, G. Robin. Occurrence of Wittrockiella paradoxa Wille (Chlorophyta, Cladophoraceae) in northeastern North America. 235–238
Spiranthes infernalis Sheviak, *sp. nov.* 226, fig. 227
Spiranthes (Orchidaceae) from Ash Meadows, Nevada. A new, 225–234
Sporobolus asper (Poaceae) in Maine. Discovery of, 220–221
Strong, Mark T. Discovery of Fernald's Bacopa simulans (Scrophulariaceae) on the Potomac River in Virginia. 239–241
SYMPOSIUM—May 1988. Plant Conservation: A Biogeographic Perspective 3–162
Foreword. Leslie J. Mehrhoff 3–5
Introduction. Garrett E. Crow 6–9
Keynote Address. Robert F. Thorne 10–24

Taraxacum Section Palustria; Asteraceae. Marsh dandelion, in Canada and the adjacent United States. The, 213–219
Tertiary floras, vegetation, and paleoclimates of New England. Late Cretaceous and, 25–48
Thompson, Elizabeth H. and William D. Countryman. Rare plant conservation in Vermont in the 1980's. 110–115
Thorne, Robert F. Phylogeny and phytogeography. 10–24
Tolumnia Raf. in Florida. The orchid genera Oncidium Sw. and, 188–200
Toxicodendron vernix added to the flora of Nova Scotia. 242–243
Trichomanes in Pennsylvania. Distribution of gametophytic populations of Vittaria and, 201–206
Trifolium stoloniferum, in Indiana. Rediscovery of the globally endangered clover, 207–212
Tyler, Harry R., Jr., *see* Dibble, Alison C.
Tyler, Harry R., Jr., *see* Vickery, Barbara St. J.
Type species of the genus Sabatia Adanson (Gentianaceae). The, 167–171

United States. The marsh dandelion (Taraxacum Section Palustria; Asteraceae) in Canada and the adjacent, 213–219

Vaccinium ovatum Pursh. Vaccinium sempervirens Raf.: A lost synonym for, 279–281
Vaccinium sempervirens Raf.: A lost synonym for Vaccinium ovatum Pursh. 279–281
Vermont in the 1980's. Rare plant conservation in, 110–115
Vickery, Barbara St. J., Christopher S. Campbell, Leslie J. Eastman and Harry R. Tyler, Jr. Progress in rare plant conservation in Maine. 95–102
Vickery, Barbara St. J., *see* Dibble, Alison C.
Virginia. Discovery of Fernald's Ba-

copa simulans (Scrophulariaceae) on the Potomac River in, 239–241
Vittaria and Trichomanes in Pennsylvania. Distribution of gametophytic populations of, 201–206

Ward, Daniel B. Gaultheria procumbens at Pine Hills, Indiana—Its continued decline and incipient extirpation, 1951–1981. 282–295
Wilbur, Robert L. The type species of the genus Sabatia Adanson (Gentianaceae). 167–171
Winnipesaukee, New Hampshire. Floristic dynamics of a small island complex in, 315–338
Wisheu, Irene C. *see* Keddy, Paul A.
Wittrockiella paradoxa Wille (Chlorophyta, Cladophoraceae) in northeastern North America. Occurrence of, 235–238